

CUMULATIVE INDEX 1997

Volume 24

January	HAND SURGERY UPDATE II, pages 1-198
April	FACIAL AESTHETIC SURGERY, pages 199-414
July	SECONDARY MANAGEMENT OF CRANIOFACIAL DISORDERS, pages 415-625
October	NONMELANOMA SKIN CANCER, pages 627-827

Note: Page numbers of article titles are in **boldface** type.

- Abrasive scrubs, 372
- Acitretin, 668
- Acne scars, high-energy ultrapulsed CO₂ laser in, 384
 - and adjunctive procedures, 391-392
 - pathology of, 380
- Actinic cheilitis, high-energy ultrapulsed CO₂ laser in, 385
- Actinic keratosis, 694
 - of hand, 784-785
- Acyclovir, oral, with high-energy ultrapulsed CO₂ laser therapy, 394
 - prior to ultrapulsed CO₂ laser therapy, 388
- Adenocarcinoma, digital papillary, 698-699
- Adenoid cystic carcinoma, of ethmoid sinus, skull base surgery in, 574, 575-577, 578
- Adnexal carcinomas, of skin, squamous cell carcinoma and, 687-703
- Aesthetic surgery, of craniofacial skeleton, avoiding pitfalls and managing complications of, 613-622
- Aging, facial deformity associated with, recognizing of, 269, 270
 - in midface, malar pad and, 329-330
- Alar bases, widening of, with maxillary surgery, 494, 495
- Allen test, in Raynaud's syndrome, 135
- Allografts, nerve, to aid in nerve regeneration, 68-69
- Alpha hydroxy acids, 373-374
 - and tretinoin, for combination therapy, 375
 - antiaging effects of, 374
 - application of, 374-375
 - effects on desquamation, 374
 - effects on irritation, 374
 - effects on pH, 374
- Amputation, in Raynaud's syndrome, 148-149
- Analgic agents, oral, after high-energy ultrapulsed CO₂ laser therapy, 395
- Anesthesia, for facelift, 286-287
 - for ultrapulsed CO₂ laser therapy, 388
- Angiotensin-converting enzyme, in Raynaud's syndrome, 145
- Anterior interosseous flap, 44-46
 - advantages and disadvantages of, 45-46
 - indications for, 46
 - surgical technique for, 45, 46, 47
- Antibiotic agents, oral, during and after high-energy ultrapulsed CO₂ laser therapy, 395
- Antidepressants, in vasospastic disorders, 128
- Antigen-presenting cells, in skin, nonmelanoma skin cancer and, 637-638
- Apert syndrome, anomalies associated with, 431
 - jaw deformity and malocclusion in, management of, in adolescence, 440
 - staging of reconstruction for, 436, 438
 - studies of, 432-436
 - total midface deformity in, management of, in childhood, 437-440
- Arcokeratosis paraneoplastica, 658
- Arsenic keratosis, of hand, 785, 786
- Arterial bypass, in ischemia of upper extremity, 112-115
- Arterial grafts, for revascularization in digital replantation, 88
- Arterial reconstruction, in vasospastic disorders, 129
- Arteries, rerouting of, for revascularization in digital replantation, 88-89
- Arteriography, contrast, in vasospastic disorders, 127
 - in ischemia of upper extremity, 109-110
- Arteriosclerotic occlusive disease, Raynaud's syndrome in, treatment of, 154
- Arteriovenous reversal, in ischemia of upper extremity, 115-117
- Articular cartilage, healing of, factors influencing, 176-177
- Astringents, 372
- Autoimmune disease, ischemia of hand in, 108
- Bacterial infection, after high-energy ultrapulsed CO₂ laser therapy, 396, 400
- Basal cell carcinoma (BCC), 627, 705, 787
 - assessment and surgical treatment of, 673-686
 - clinical appearance of, 673-674
 - cryosurgery in, 683
 - curettage and electrodesiccation in, 682-683
 - dermatopathologic classifications of, 674
 - diagnosis of, 674
 - histologic variants of, 674-680
 - infiltrative, 677, 678

- Basal cell carcinoma (BCC) (*Continued*)
 liquid nitrogen in, 683
 metastasis of, 680
 micronodular, 675-676
 mixed type, 677, 680
 Mohs' micrographic surgery in, 682
 morpheaform, 677, 679
 nodular, 674
 of hand, 787-788
 pathogenesis of, 673
 recurrent, 680
 risk factors for recurrence of, 712
 superficial, 676-677
 surgery in, 681-682
 treatment of, 681-684
- Basal cell nevus syndrome. *See* *Nevoid basal cell carcinoma syndrome.*
- Bazex-Dupre-Christol syndrome, 658
- Bazex syndrome, 657, 658
- Beta-carotene, 668
- Bimaxillary surgery, adverse outcomes of, 502-503
- Biofeedback, in vasospastic disorders, 128-129, 143
- Boomerang flaps, 18, 19, 20
- Botulinum injection, for temporary paralysis of facial muscle, 200-202
- Bowen's disease, 693, 694
 of hand, 785, 786
- Brachial artery embolism, Raynaud's syndrome in, treatment of, 154
- Brachial plexus injury(ies), disabilities associated with, 75
 new reconstructive procedure for, 75-85
 clinical materials for, 80-81
 materials and methods for, 77-80
 operative technique in, 77-79
 postoperative management in, 79-80
 results of, 80-81, 82-83
 surgical approach in, rationale for, 76-77
- Brachytherapy, in skin cancers, 721
- Browlift, extended, 233-246
 applied anatomy in, 236-238, 239, 240
 assessment of cheeks for, 240-241
 assessment of eyelids for, 240
 assessment of forehead for, 238-239
 assessment of lower face for, 241
 evolution of technique of, 233-234
 patient examples of, 241-242, 243-245
 patient selection for, and technical considerations in, 238-242
 vectors of lift for, 234-236
- Buerger's disease, ischemia of hand in, 108-109, 141
- Calcium channel blockers, in vasospastic disorders, 128, 144-145
- Cancers, skin, nonmelanoma. *See* *Skin cancer(s), nonmelanoma.*
- Canthal tendon, lateral, disruptions of, 528
- Canthus, lateral, eccentric positioning of, 528
- Capillaroscopy, vital, in vasospastic disorders, 125, 126
- Carcinogenesis, field, 667
 multistep, 666-667
- Carcinoma. *See* specific types and sites.
- Carpal tunnel syndrome, Raynaud's syndrome in, 139
 treatment of, 154
- Carpenter syndrome, 440-445
- Cerebrospinal fluid leak, following skull base surgery, 573-574
- Cheek(s), assessment of, for extended browlift, 240-241
 dissection of, for endo-facelift, 314-318
 high-energy ultrapulsed CO₂ laser therapy of, 391
 reconstruction of, 760-761, 762-766
 resection of, in recurrent nonmelanoma skin cancer, 737, 738, 739, 740
 suspension of, for endo-facelift, 318-319, 320
- Chemical peels, advantages of, 381
 disadvantages of, 381-382
 for skin resurfacing, peeler's thoughts on, 407-409
 history of, 381
 phenol, for perioral wrinkling, 284
- Chemicals, exposure to, squamous cell carcinoma in, 690
- Chemoprevention, and carcinogenesis, 666, 667-669
- Chemotherapy, in basal cell carcinoma, 683
- Chin, asymmetry of, following genioplasty, 502, 511
 in advancement genioplasty, 502
 overadvanced, 501-502
 overcorrection of, as complication of genioplasty, 511-512
 ptosis of, 501
 as complication of genioplasty, 509
 resection of, in recurrent nonmelanoma skin cancer, 737, 742
- Chromosomal abnormalities, squamous cell carcinoma in, 690
- Cicatricial deformities, 526, 527
- Claw finger deformity, prevention of, following brachial plexus injury, 76-77
- Cleansers, skin, lipid-free, 371-372
- Cleansing creams, 372
 following high-energy ultrapulsed CO₂ laser therapy, 395
- Cleft deformities, definition of terms associated with, 599-602
 secondary, 599-611
 secondary and residual dentofacial deformities in, treatment of, 583-597
- Cleft palate, fistula(s) of, appearance of, description of, 601-602
 definition of, 599
 effects of, controversy concerning, 602
 etiology of, 599-600, 602
 history taking in, 602-603, 604
 location of, landmarks and, 600, 601
 physical examination in, 603-605
 primary or recurrent, 600-601
 repair of, obturation in, 609
 surgical, 607-609, 610
 timing of, 607
 speech evaluation in, 605-607
- Clothing and hats, for prevention of nonmelanoma skin cancer, 665
- Cold cream, 372
- Cold recovery time study, in Raynaud's syndrome, 135
- Computerized pattern generator scanner, advantages of, 393-394
 practical use of, 393
- Computerized pattern generators, coherent ultrapulse CO₂ laser with, 392-393
 for skin resurfacing, 392
 Sharplan Silk Touch laser with, 393
- Conduits, nerve, for nerve regeneration, 68
- Connective tissue disorders, and Raynaud's syndrome, 139-140
 digital artery sympathectomy in, 150-151
- Contact dermatitis, after high-energy ultrapulsed CO₂ laser therapy, 396
- Continuous motion machines, dynamic traction by, 185-187, 188

- Coronal synostosis, bilateral, treatment of, in secondary management of craniosynostosis, 423, 424-425
 right, and facial scoliosis, 484-487
 unilateral, treatment of, in secondary management of craniosynostosis, 422-423
- Corrugator muscle, endoscopic resection of, 209-211
 transpalpebral, resection of, 204-207
- Cosmetic surgery, of face, 199-409
- Craniofacial disorders, secondary management of, 415-622
- Craniofacial dysostosis syndromes, 429-446
 treatment of, 429
- Craniofacial microsomia. See *Microsomia, craniofacial*.
- Craniofacial problems, secondary, following skull base surgery, 565-581
- Craniofacial skeleton, aesthetic contouring of, avoiding pitfalls and managing complications of, 613-622
- Craniofacial deformities, congenital and acquired, secondary management of, 475-488
 materials and methods for, 475-476
 preoperative planning for, 476-478
 results of, 478-483
- Craniosynostosis, incidence of, 429
 nonsyndromic, secondary management following correction of, 415-428
 cranial plate and screw fixation in, 420
 preoperative evaluation for, 416
 problems specific to, 416-420
 radiographic assessment for, 416
 temporal hollowing and, 417-418
 timing of operation for, 416
 treatment options for conditions in, 420-427
 ventricular shunt in, 418, 419
 secondary management of, treatment of bilateral coronal synostosis in, 423, 424-425
 treatment of lambdoid synostosis in, 427
 treatment of metopic synostosis in, 420-421, 422
 treatment of sagittal synostosis in, 423-427
 treatment of unilateral coronal synostosis in, 422-423
 treatment of, 429
- Crouzon syndrome, anomalies associated with, 429
 management of, studies of, 430-431
 staging of reconstruction in, 430, 432
 total midface deformity in, jaw deformity and malocclusion in, management of, in adolescence, 431
 management of, in childhood, 430-431, 434-436
- "Crow's feet", correction of, 290-291, 292
 planning of, 281, 284
- Crutch pressure, Raynaud's syndrome in, treatment of, 154
- Cryoglobulinemia, and Raynaud's syndrome, 142
- Cryosurgery, in basal cell carcinoma, 683
 in squamous cell carcinoma, 696
- Cutaneous horns, of hand, 784
- Cylindroma, dermal, 699
- Cytokines, immunomodulatory, 642
 in immune regulation, 639-640
- DASH questionnaire, for outcome assessment in hand surgery, 193-194
- Dental restoration, following loss of dentition with mandibular reconstruction, 553-554, 555, 556
- Dentofacial deformities, secondary and residual, in cleft patient, discussion of, 595-596
 operative technique in, 584-585
 orthodontic technique in, 585-591
 patient data in study of, 584, 590-591, 592-593, 594-595
 results of, 591-595
 treatment of, 583-597
- Dermabrasion, advantages of, 380
 disadvantages of, 380-381
 for perioral wrinkling, 284-285
- Dermal grafting, and ultrapulsed CO₂ laser therapy, in acne scarring, 391-392
- Dermal remodeling, 380
- Dermatitis, contact, after high-energy ultrapulsed CO₂ laser therapy, 396
- Dermatofibrosarcoma protuberans, 712-713
 Mohs' micrographic surgery in, 713
 of hand, 785-787
- Dialysis arteriovenous shunt steal syndrome, Raynaud's syndrome in, treatment of, 154
- Diet, nonmelanoma skin cancer and, 633
- Difluoromethylornithine, 669
- Digastric myectomy, 298
 superficial, 280-281
- Digital joints, reconstruction of, advances in, 175-189
- Digital papillary adenocarcinoma, 698-699
- Digit(s), distal, injuries of, initial care in, 49-50
 microvascular reconstruction of, by partial toe transfer, 49-55
 esthetic refinements for, 53-54
 rehabilitation following, 54
 hetero-replantation of, and digital redistribution, 100-104
 reconstruction of, with island flaps, 1-32
 redistribution of, hetero-replantation of digit and, 100-104
 replantation of, advances in, 87-105
 difficult revascularizations during, 87-89
 in children, 100
 in joint areas, 89
 very distal, 90-96
 with skin defect, 97-100
- DNA damage, in immunosuppression, 640-641
- Doppler ultrasound, in ischemia of upper extremity, 109
 in Raynaud's syndrome, 135-136
- Dorsalis pedis flap, for coverage of hand, 61-62
- Dorsoulnar flap, using distal branches of ulnar artery, 42-44
 clinical case illustrating, 42, 43
 flap elevation for, 42
- Double free-muscle procedure, 75, 76, 77-80
 results of, 80-81
- Dressing(s), following facelift, 307
 semi-occlusive, after high-energy ultrapulsed CO₂ laser therapy, 394
- Drop finger deformity, 170
- Drug therapy, in vasospastic disorders, 128
- Ear, and area of, prosthetic rehabilitation in, 801-810, 811, 812
 resection of, in recurrent nonmelanoma skin cancer, 737, 741
 skin cancer of, excision of, antia advancement flap in reconstruction of, 747-748
 modified wedge resection in, 748, 749
 radiotherapy in, 725, 726
 revolving door flap in, 748-750
- Earlobe, inseting of, in facelift, 303-307
- Eccrine carcinomas, malignant, 698
 syringomoid, 698
- Eccrine spiradenoma, of hand, 783
- Ectropion, after high-energy ultrapulsed CO₂ laser therapy, 401

- Elastosis, 371
- Elbow, extension and stabilization of, following brachial plexus injury, 79, 80
- Electrodesiccation, in squamous cell carcinoma, 696
- Embolectomy, in ischemia of upper extremity, 110-111
- Endo-facelift, 309-327
- cheek suspension of, 318-319, 320
 - cheeks in, dissection of, 314-318
 - clinical experience with, 321-327
 - eyelids in, 319-321
 - forehead dissection for, 310-311
 - forehead suspension for, 311-314
 - neck in, 319-321
 - surgical procedures for, 310-321
- Endoscopy, for facial rejuvenation. See under specific procedures.
- Enophthalmos, post-traumatic, 531-537
- clinical evaluation of, 531-532
 - limited exposure technique in, 533-534, 535, 536
 - pathobiology of, 541
 - pathophysiology of, 531
 - postoperative considerations in, 547
 - preoperative evaluation in, 541-542
 - strategies for treatment of, 539-550
 - surgical approach in, 542-544
 - case illustrations of, 544-549
 - treatment of, 532-533
- Epidermal inclusion cyst, of hand, 779-780
- Epidermal remodeling, 380
- Epidermodyplasia verruciformis, 655
- Epidermoid cyst, of hand, 779-780
- Epiphora, following skull base surgery, 577
- Exercise therapy, in Raynaud's syndrome, 143-144
- Exfoliants, 372
- Extensor tendon, anatomy of, 169-170
- injury(ies) of, advances in treatment of, 171
 - by zones, repair of, 170-171
 - repair of, rehabilitation following, 171
- Extremity, upper. See *Upper extremity*.
- Eyelid(s), assessment of, for extended browlift, 240
- in endo-facelift, 321
 - lower, ectropion of, 524-525
 - entropion of, 524
 - forces acting on, 525
 - full thickness defects of, 525
 - ptosis of, 525
 - reconstruction of, 754-760
 - medial canthal, reconstruction of, 759-760
 - reconstructive guidelines for, 523
 - skin cancer involving, radiotherapy in, 722-725
 - upper, ectropion of, 523-524
 - entropion of, 523
 - full thickness defects of, 524
 - ptosis of, 522
 - reconstruction of, 760
 - retraction of, 524
- Eye(s), shielding of, for radiotherapy of cutaneous lesions, 721, 722, 723
- Face, aging deformity of, recognizing of, 269, 270
- aging of, anatomy of, author's philosophy of, 248
 - author's philosophy of, 247
 - asymmetry of, fasciocutaneous flaps to correct, 447-448
 - free flap used to camouflage, 447, 448
 - skeletal correction of, craniofacial management following, 447-458
 - in right-sided hemifacial microsomia, 451-457
 - in severe micrognathia, 454-455, 457
 - operative technique for, 448-450
 - augmentation of, indications for, 348-349
 - materials for, 347
 - cosmetic surgery of, 199-409
 - fracture(s) of, treatment of, Paul Tessier and, 516-518
 - lower, assessment of, for extended browlift, 241
 - microvascular reconstruction of, 776-777
 - perioral region of, rejuvenation of, planning of, 281-284
 - recontouring of, fatty tissue for, 348
 - history of, 347-348
 - liposuction and, 347
 - with Lipostructure, 347-367
 - rejuvenation of, endoscopic, 213-231
 - scoliosis of, right coronal synostosis and, 484-485
 - skin of, resurfacing of, available methods for, 380-383
 - principles of, 379-380
 - submental region of, modification of, planning of, 279-281
 - trauma to, influence of Paul Tessier on current treatment of, 515-518
 - upper, microvascular reconstruction of, 774-775
 - rejuvenation of, 199-212
- Facelift, and pan-facial rejuvenation, 285
- anesthesia for, 286-287
 - case study illustrating, 304-306, 307
 - closure of, in composite rhytidectomy, 341
 - dissection of SMAS for, 291-294
 - dressings following, 307
 - endoscopic, 231
 - incisions for, 287
 - insetting of earlobe in, 303-307
 - modification of platysma in, planning of, 276-279, 280-283
 - modification of SMAS in, planning of, 276
 - neck and submental dissection for, 296-299
 - non-SMAS skin tightening, evaluation for, 247-248
 - evolution of, 247-248
 - operative technique of, 248-249
 - postoperative support following, 250
 - preoperative evaluation for, 249-250
 - results of, 249, 256-257, 258, 259-267
 - surgical procedure for, 250-258
 - with midface defatting, follow-up study of, 247-267
 - occipital incision for, planning of, 274, 275
 - perilobular incision for, planning of, 273
 - placement of suspension suture in, 300-301
 - planning of, and technique of, 269-308
 - preoperative, 270-286
 - postauricular incision for, planning of, 273-274
 - postoperative care following, 307-308
 - preauricular incision for, planning of, 272
 - preoperative preparations for, 285-286
 - preplatysmal lipectomy in, 297-298
 - repositioning of skin flaps for, 299-300
 - skin flap elevation for, 287-289
 - submental incision for, planning of, 274-276
 - submental lipectomy in, 296-297
 - surgical technique for, 287-307
 - suspension of SMAS for, 294-296
 - temple dissection in, 289-290, 291
 - temple incision for, planning of, 270-272
 - trimming and closure of skin flaps for, 301-307
- Facial nerve, palsy of, following mandibular reconstruction, 555-558
- Fasciocutaneous flap(s), for coverage of hand, 59
- to correct facial asymmetry, 447-448
- Fat, injection of, in forehead rejuvenation, 202
- Fat graft(s), in forehead rejuvenation, 202-203, 204

- Fatty tissue, for Lipostructure. See under *Lipostructure*.
for recontouring of face, 348
- Finger(s). See also *Digit(s)*.
avulsed, replantation of, 96-97, 98, 99
flexion of, reconstruction of, following brachial plexus injury, 78, 79
Jersey, repair of, 169
long, reconstruction of, by hetero-replantation, 102-104
mallet, 170
proximal, reconstruction of, 14-29
ring, avulsion of, replantation in, 96-97, 98, 99
- Fistula(s), oronasal, following maxillary surgery, 492
palatal. See *Cleft palate, fistula(s) of*.
- Flag flap(s), 17-18
- Flaps. See specific flaps.
- Flexor digitorum profundus, avulsions of, repair of, 169
- Flexor tendon(s), anatomy of, 161-162
one or both in zone II, repair of, 167
partially lacerated, repair of, 167
physiology of, 163
repair of, complications of, 168-169
history of, 161
rehabilitation following, 167-168
strength of, 166-167
surgical technique for, 163-166
- 5-Fluorouracil, 375-376
in basal cell carcinoma, 683
in squamous cell carcinoma, 697
- Foot, region of, for toe transfer, 50
- Forearm, island flaps of, reconstruction of hand with.
See *Forearm flap*
- Forearm flap, free radial, for coverage of hand, 62
posterior interosseous, 36-41
advantage of, 41
dissection of, 41
flap elevation for, 36-41
proximal, for coverage of hand, 59
radial, 33-35
clinical case illustrating, 35
flap elevation for, 34
ulnar, 35-36
advantages of, 36
clinical case illustrating, 38-39
flap elevation for, 35-36, 37
- Forehead, aesthetic contouring of, aesthetic goals of, 614
augmentation of frontal area for, complications of, 615
reduction of frontal prominence in, 614
reduction of prominent supraorbital rim in, 614, 615
standard approach to, 614
applied anatomy of, 199-200
assessment of, for extended browlift, 238-239
defects of, microvascular reconstruction of, 774-775
dissection of, for endo-facelift, 310-311
high-energy ultrapulsed CO₂ laser therapy of, 391
rejuvenation of, endoscopic techniques for, 209-212
goals of, 200
subcutaneous, 207-209
resection of, in advanced nonmelanoma skin cancer, 732
suspension of, for endo-facelift, 311-314
vector dynamics of, 199-200
- Forehead/eyebrow muscles, hyperactivity of, sources of, 213, 214, 215
- Forehead/plasty, endoscopic, classification of, 215-220
complications of, 224
depressor supercillii muscle myotomies in, 222, 223
disadvantages and limitations of, 224
extended, 218, 219
fixations in, 223
lateral forehead and temporoplasty, 218, 219-220
limited, 220
muscles modifications during, 221-223
neurotomies during, 222-223
orbicularis oculi muscles myotomies in, 221
patient selection for, 213
periosteal release during, 220-221
preperiosteal tissue release, 221
procedure selection for, 213
retro-orbicularis fat pad release, 221
standard, 215-219
surgical technique for, 213-215, 216, 217
tissue advancement and redraping in, 223
tissue modifications during, 220-221
- Fracture(s), condylar, treated with dynamic traction, 184, 187
digital, reduction of, dynamic traction with, 184, 186
- Free flap(s), for hand. See *Hand, free flaps for coverage of*.
to camouflage facial asymmetry, 447, 448
- Free-muscle procedure, double, 75, 76, 77-80
results of, 80-81
- Free-tissue transfer, microvascular, in skin defects, 769-771, 772
of midface, 775-776
of scalp and forehead, 774-775
postoperative management in, 774
preoperative assessment for, 772-773
procedure for, 773-774
- Frontalis muscles, 221
- Fungal infection, after high-energy ultrapulsed CO₂ laser therapy, 396
- Gangliosides, in neural regeneration, 65
- Genioplasty, alloplastic, undesirable outcomes of, 508-510
asymmetry of chin following, 502
infection as complication of, 508-509, 511
problems following, 507-514
secondary, following osteoplastic genioplasty or autograft, 510-511, 513
- Gorlin's syndrome. See *Nevoid basal cell carcinoma syndrome*.
- Granuloma pyogenicum, of hand, 780-781
- Granuloma telangeiectaticum, of hand, 780-781
- Grasp release, restoration of, following brachial plexus avulsion, 76
- Great toe, wrap-around flap of, 51-52
- Great toe transfers, distal trimmed, 52
- Grip, restoration of, following brachial plexus avulsion, 76
- Hand, actinic keratosis of, 784-785
arsenic keratosis of, 785, 786
basal cell carcinoma of, 787-788
Bowen's disease of, 785, 786
cutaneous circulation of, 121-122
cutaneous horns of, 784
dermatofibrosarcoma protuberans of, 785-787
eccrine spiradenoma of, 783
epidermal inclusion cyst of, 779-780
excision of, in recurrent nonmelanoma skin cancer, 737-742, 743
free flaps for coverage of, 57-62
advantages of, 57-58

Hand (Continued)

- considerations for, 58
- flap selection for, 58-62
- history of, 57
- principles of, 58
- soft-tissue characteristics of hand and, 58
- ischemia of, in renal failure, 108
- keratoacanthoma of, 781-782
- nonmelanoma skin tumors of, benign, 779-784
 - malignant, 785-794
 - management of, 779-795
 - premalignant, 784-785
- pyogenic granuloma of, 780-781
- reconstruction of, with forearm island flap, 33-48
- sebaceous tumors of, 783-784
- skin of, neoplastic metastasis to, 792-794
- soft-tissue defects of, treatment of, history of, 57
- squamous cell carcinoma of, 788-792
- surgery of, 1-194
 - outcomes assessment in, 191-194
 - sweat gland tumors of, 782-783
 - vasospastic disorders of, management of, 121-132
- Heavy metal poisoning, and Raynaud's syndrome, 141
- Herpes simplex, following high-energy ultrapulsed CO₂ laser therapy, 396
- High-energy ultrapulsed CO₂ laser. See *Laser(s), high-energy ultrapulsed CO₂*.
- Histocompatibility genes, skin cancer and, 642-643
- Immune regulation, cytokines in, 639-640
- Immune response, associated with nonmelanoma skin cancer, 637-647
- Immunity, systemic effects of ultraviolet radiation on, 638, 639
- Immunomodulation, in squamous cell carcinoma, 697
- Immunosuppression, DNA damage in, 640-641
- squamous cell carcinoma and, 688-689
- Implantable microelectrode array of CMOS/BiCMOS technology, for peripheral nerve repair, 70
- Implants, improperly-sized, as complication of genioplasty, 508
- malar, asymmetry of, correction of, 617, 620
- infection of, 617, 618
- malpositioned, as complication of genioplasty, 509, 510
- Induced vasodilation treatments, in Raynaud's syndrome, 143
- Infection, as complication of genioplasty, 508-509, 511
 - bacterial, after high-energy ultrapulsed CO₂ laser therapy, 396, 400
 - fungal, after high-energy ultrapulsed CO₂ laser therapy, 396
 - of malar implant, 617, 618
- Informed consent, for Lipostructure, 365
- Insulin-like growth factor, in neural regeneration, 65
- Interferon, intralesional, in basal cell carcinoma, 683
- Interphalangeal joint, distal, digital replantation in area of, 89
- proximal, anatomy of, 179
- digital replantation in area of, 89
- injuries of, classification system for, 175-176
- dynamic traction in, 179-181, 182
- treatment of, 179-182
- Interstitial therapy, in skin cancers, 721
- Intraoral vertical oblique osteotomy, 498
- Ionizing radiation, nonmelanoma skin cancer and, 631-632
- Island flap(s), antegrade flow, 2-6
 - arterial, 14-16
 - bipedicled advancement, 2-3
 - classification of, 2
 - composite, 28-29, 30
 - digital based, 14-18
 - digital reconstruction with, 1-32
 - dorsal middle phalangeal, 12-14
 - dorso-ulnar, of thumb, 10-11
 - for distal digital reconstruction, 2-14
 - heterodigital, 11-14
 - history of, 1
 - homodigital, 2-11
 - homodigital dorsolateral advancement, 6, 7
 - homodigital neurovascular pulp exchange, 5-6, 7
 - homodigital proximal phalangeal dorsal, 14, 15
 - homodigital reverse flow, of fingers, 8-10
 - metacarpal based, 18-22
 - neurocutaneous homodigital, 16
 - neurovascular, 11-12
 - non-innervated heterodigital, 14
 - non-innervated heterodigital and homodigital, 14, 15
 - of forearm, reconstruction of hand with, 33-48 and See also *Forearm flap*.
 - palmar metacarpal reverse flow, 28
 - planning of, 29-31
 - reverse flow, 6-11
 - reverse flow metacarpal, 22, 25, 26, 27
 - second metacarpal, 22, 24, 25
 - ulnar parametacarpal, 22-28
 - unpedicled advancement, 3-5, 6
 - venous, 16-17
 - versus staged transfers, 1-2
- Isotretinoin, 667-668
- laser resurfacing and, 400-401
- Jersey finger, repair of, 169
- Joints. See *specific joints*.
- Kaposi's sarcoma, of hand, 791-793
- Keratoacanthoma, 693-694
- Keratoacanthoma, of hand, 781-782
- Kite flap, 18-22, 23
- Kleeblattschdel anomaly, 441-444, 445
- Lacrimal system, 521
 - post-traumatic abnormalities of, 526-527
- Lambdoid synostosis, treatment of, in secondary management of craniosynostosis, 427
- Laser Doppler, in Raynaud's syndrome, 134
- Laser therapy, in basal cell carcinoma, 683
- in squamous cell carcinoma, 696
- Laser(s), coherent ultrapulse CO₂, computerized pattern generators with, 393
- for skin resurfacing, cost of, 408
- peeler's thoughts on, 407-409
- high-energy ultrapulsed CO₂, skin resurfacing with, 379-405
 - advantages of, 382
 - after care in, 395-396
 - complications of, 396-401
 - consent form for, 387
 - contraindications to, 385-386
 - disadvantages of, 382-383
 - equipment for, 386, 387

- healing following, 408
- histologic changes associated with, 383-384
- in periocular region, 389-390
- in perioral region, 390
- laser settings for, 389
- marking patient for, 388
- of cheeks, 390-391
- of forehead, 391
- of nose, 391
- pain associated with, 408
- patient selection for, 384
- postoperative care following, 394-395
- principles of using, 383
- skin pathology suited for, 384-385
- skin treatment for, 386-388
- technique of, 388-389
- resurfacing with, for perioral wrinkling, 284
- Le Fort I osteotomy, 489-490
- Leg(s), post-phlebitic ulcer of, squamous cell carcinoma in, 691-692
- Lewandowsky-Lutz disease, 655
- Lipectomy, preplatysmal, in facelift, 297-298
- submental, in facelift, 296-297
- Lipostructure, case histories of, 350-354, 355-360
 - complications of, 364-365
 - development of, 348
 - edema following, 364
 - evaluation of results of, 365-366
 - harvesting of fat tissue for, 349, 359-360
 - in recontouring of face, 347-367
 - informed consent for, 365
 - longevity of fat transplanted by, 348
 - migration of fat tissue following, 364
 - patient preparation for, 365-366
 - placement of fat tissue for, 354-355
 - method of, 361-364
 - postoperative care following, 355
 - refinement of fat tissue for, 360-361
 - technique of, 349-355
 - discussion of, 359-364
 - transfer and purification of fat tissue for, 349-354
- Liposuction, and recontouring of face, 347
- Lip(s), augmentation of, with rhytidectomy, 284
 - deformities of, following mandibular reconstruction, 560-561
 - incompetence of, following genioplasty, 503
 - lower, mucosa of, reconstruction of, 752-753
 - ptosis of, 503
 - reconstruction of, partial, using Karapandzic technique, 750-751
 - total, Gillies fan flap in, 751-752, 753
 - upper, adverse changes to, in maxillary surgery, 494, 498
 - augmentation of, 494-498
 - mucosa of, reconstruction of, 753
 - partial reconstruction of, 752, 761
- Liquid nitrogen, in basal cell carcinoma, 683
- Littler's flap, 11-12
- Lymphoproliferative diseases, squamous cell carcinoma in, 690-691
- Magnetic resonance angiography, in Raynaud's syndrome, 136-137
- Make-up, following high-energy ultrapulsed CO₂ laser therapy, 395
- Malar implant, asymmetry of, correction of, 617, 620
 - infection of, 617, 618
- Malar-midface complex, approach to, for aesthetic contouring, problems associated with, 617-620
 - augmentation of, for aesthetic contouring, complications of, 617, 618, 619
 - synthetic materials in, 617
- Malar pad, anatomy of, 329
 - and aging in midface, 329-330
 - direct fixation of, 329-335
 - patient selection for, 330
 - technique of, 330-333
 - elevation of, discussion of, 333-335
 - plication of, rationale for, 330
- Mallet finger, 170
- Malocclusion, following skull base surgery, 574
- Mandible, posterior, augmentation of, for aesthetic contouring, 620, 621
 - reduction of, for aesthetic contouring, 617-620
- reconstruction of, facial nerve palsy following, 555-558
 - general principles of, 551-552
 - individualized planning for, 551-552
 - loss of dentition following, 553-554, 555, 556
 - secondary deformities following, 551-563
 - types of, 551, 552
 - soft-tissue deformities secondary to, 558-563
 - structural defects following, 552-553, 554
 - temporomandibular joint dysfunction following, 554-555
- Mandibular surgery, 498-502
 - adverse aesthetic outcomes in, 501-502
 - adverse functional outcomes in, 498-501
 - mandibular angle and body rotation and, 501
 - nerve injury in, 500-501
 - occlusal relapse following, 498-499
 - problems of healing in, 498
 - skeletal base disproportion and, 501
 - temporomandibular joint dysfunction and, 499-500
- Marjolin's ulcers, 691, 788
- Mature patient, therapeutic skin care in, 369-377
- Maxillary surgery, 489-498
 - adverse aesthetic outcomes in, 492-498
 - adverse function outcomes in, 490-492
 - nasal obstruction following, 492
 - occlusal relapse following, 490-492
 - oronasal fistulas following, 492
 - problems of healing in, 490
 - temporomandibular joint dysfunction and, 492
- Meibomian gland carcinoma, 699-700, 713, 715
- Merkel cell carcinoma, 700, 727
- Metacarpophalangeal joint, digital replantation in area of, 89
- Metopic synostosis, treatment of, in secondary management of craniosynostosis, 420-421, 422
- Microcystic adnexal carcinoma, 713
 - Mohs' micrographic surgery in, 713
- Micrognathia, severe, craniofacial management following correction of facial asymmetry in, 454-455, 457
- Microsomia, craniofacial, 459-474
 - craniofacial skeleton in, 459-460
 - ears in, 460
 - mandible in, 459
 - classification of deformities in, 460-462, 463
 - muscles of mastication in, 460
 - nervous system in, 460
 - NYU treatment protocol in, beyond fourteen years of age, 466-474
 - six to fourteen years of age, 466
 - two to six years of age, 464-465, 466, 467-471
 - under two years of age, 462-466
 - soft tissue in, 460
- right-sided hemifacial, craniofacial management following correction of facial asymmetry in, 451-457

- Midface, aging in, malar pad and, 329-330
 defects of, microvascular reconstruction of, 775-776
- Midface lift, endoscopic, anatomic consideration for, 225
 classification of, 225-230
 patient selection for, 224-225
 subcutaneous, 227, 230
 subperiosteal, 225-227, 228, 229
 suprapariosteal, 225
- Mohs, Frederic E., 705-706
- Mohs' micrographic surgery, history of, 705-707
 in basal cell carcinoma, 682
 in nonmelanoma skin cancers, 705-718
 indications for, 711
 limitations of, 716
 preoperative consultation for, 707
 technique of, 707-711, 714-715
- Moisturizers, following high-energy ultrapulsed CO₂ laser therapy, 395
 for dry skin, 373
 for normal/combination skin, 373
 types of, 373
- Mouth, mucosal lining of, deformities of, following mandibular reconstruction, 558-560
- Muir-Torre syndrome, 655-656
- Muscle grafts, for peripheral nerve repair, 69
- Muscle(s), corrugator, endoscopic resection of, 209-211
 transpalpebral, resection of, 204-207
 forehead/eyebrow, hyperactivity of, sources of, 213, 214, 215
 frontalis, 221
- Nager's syndrome, 481, 482-483
- Nail transfer, in reconstruction of distal digit, 51
- Nailfold microscopy, in Raynaud's syndrome, 135
- Nasal air emission, 605
- Neck, dissection of, for facelift, 296-299
 in endo-facelift, 319-321
- Nerve-crossing procedure, in brachial plexus injury, 75-76
- Nerve electric stimulator, in peripheral nerve repair, 66, 67
- Nerve gaps, management of, 67-69
- Nerve grafts, rejection of, 69
 factors lessening, 68
- Nerve(s), facial, palsy of, following mandibular reconstruction, 555-558
 injury to, in mandibular surgery, 500-501
 mixed, fascicular identification in, 66-67
 fascicular rearrangement in, 66
 peripheral, allografting of, 68-69
 repair of, advances in, 63-73
 coaptation techniques in, 65-67
 complications of, 67
 future techniques for, 69-70
 magnification for, 65
 management of nerve gaps in, 67-69
 regeneration of, advances in understanding of, 63-64
 enhancement of, 64-65
 repair of, concepts in, 63
- Neuroendocrine carcinoma of skin, 700, 727
- Neuropeptide vasodilator, endogenous, in Raynaud's syndrome, 146
- Neurorrhaphy, end-to-side, for peripheral nerve repair, 70
- Neurotomies, during endoscopic foreheadplasty, 222-223
- Nevoid basal cell carcinoma syndrome, clinical findings in, 650-652
 diagnosis and treatment of, 652
 pathogenesis of, 649-650
 pathology of, 652
- Nifedipine, in vasospastic disorders, 128, 144-145
- Ninhydrin sweat testing, in Raynaud's syndrome, 135
- Nitroglycerin, in Raynaud's syndrome, 147
- Nonmelanoma skin cancers (NMSC). See *Skin cancer(s), nonmelanoma*.
- Noonan syndrome, 434-436
- Nose, area of, prosthetic rehabilitation in, 800-801, 802, 803, 804, 805
 high-energy ultrapulsed CO₂ laser therapy of, 391
 obstruction of, following maxillary surgery, 492
 partial defects of, reconstruction of, 753-754, 755, 756, 757, 758, 759-760
 resection of, in recurrent nonmelanoma skin cancer, 734-737
 shortening of, with maxillary surgery, 494, 498
 skin cancer involving, radiotherapy in, 725
- Omental transfer, in ischemia of upper extremity, 117-118
- Oncogenes, overexpression of, in squamous cell carcinoma, 690
- Oral cavity, mucosal lining of, deformities of, following mandibular reconstruction, 558-560
- Orbicularis oculi myoplasty, 281, 284, 290-291, 292
- Orbit, anatomy of, 539-541
 bony, resection of, in advanced nonmelanoma skin cancer, 732, 734
- Orbital region, anatomy of, 519-521
 post-traumatic deformities of, current treatment of, 519-530
 prosthetic rehabilitation in, 810-815
 reconstruction of, following skull base surgery, 577-579
- Orthognathic surgery, adverse outcomes in, and residual problems, 489-505
- Papillomavirus, human, 689-690
- Peels, chemical. See *Chemical peels*.
- Periocular region, high-energy ultrapulsed CO₂ laser therapy of, 389-390
 zones of, 521-529
- Perioral region, high-energy ultrapulsed CO₂ laser therapy of, 390
- Pfeiffer's syndrome, 445, 488-489
- Phenol peels, for perioral wrinkling, 284
- Photoaging, skin care maintenance and, 370
- Photodynamic therapy, in basal cell carcinoma, 683
 in squamous cell carcinoma, 696-697
- Physical examination, in palatal fistula, 603-605
- Pigmentation, changes in, after high-energy ultrapulsed CO₂ laser therapy, 395-396, 396-400
- Pigmented lesions, laser therapy in, 385
- Pilomatrixoma, of hand, 783
- Pilosebaceous tumors, of hand, 783
- Plasma exchange, in Raynaud's syndrome, 147
- Platysma, modification of, planning of, in facelift, 276-279, 280-283
 myotomy, anterior, 299
 transverse, 277, 299
- Platysmapexy, lateral, 278, 281
- Platysmaplasty, anterior, 278, 280, 298-299
- Plethysmography, in Raynaud's syndrome, 134, 135
- Porokeratosis, 656-658

- Prehension, restoration of, following brachial plexus avulsion, 76
- Prostaglandin metabolism, drugs altering, in Raynaud's syndrome, 146-147
- Prosthetic rehabilitation, in advanced nonmelanoma skin cancer, 797-815
- materials for, 798-800
 - postsurgical evaluation in, 798
 - presurgical evaluations for, 797-798
 - surgical guidelines for, 800
- in auricular region, 801-810, 811, 812
- in nasal region, 800-801, 802, 803, 804, 805
- in orbital region, 810-815
- of skin defects, 770-772
- Prosthodontics, 797
- Pulp flaps, for volar thumb and finger resurfacing, 50-51
- Punch excision, and ultrapulsed CO₂ laser therapy, in acne scarring, 392
- Punch grafting, and ultrapulsed CO₂ laser therapy, in acne scarring, 392
- Pyogenic granuloma, of hand, 780-781
- Radiation, exposure to, squamous cell carcinoma in, 687-688
- ultraviolet, spectra of, 663
 - systemic effects of, on immunity, 638, 639
- Radiographic evaluation, in Raynaud's syndrome, 136
- Radiotherapy, and wound healing, following skull base surgery, 579-580
- for nonmelanoma skin cancers, 719-729
 - indications for, 719-720
 - technique of, 720-722
 - for skin cancers involving ear, 725, 726
 - for skin cancers involving eyelid, 722-725
 - for skin cancers involving nose, 725
 - in basal cell carcinoma, 683-684
 - in neuroendocrine carcinoma of skin, 727
 - in squamous cell carcinoma, 696-697
- Raynaud's disease. *See Raynaud's syndrome.*
- Raynaud's syndrome, 121-122, 123-124
- classification of, 123
 - comprehensive management of, 133-159
 - criteria for, 123
 - definitions associated with, 133-134
 - diagnostic criteria in, 134
 - disorders associated with, 138-142
 - evaluation technique in, 134-137
 - incidence of, 134
 - pathophysiology of, 137-138
 - patient history in, 124
 - pharmacologic management in, 144-147
 - physical examination in, 124-126
 - preventive treatment in, 142-144
 - surgical indications in, 153-154
 - surgical treatment of, 148-155
 - trauma-induced, 140-141
 - treatment of, 142-155
 - vasculature in, conditions compromising, 122-123
 - vibration-induced, 139
- Renal failure, ischemia of hand in, 108
- Resonance disorders, 605
- Retinoid acid, all trans, 375
- Retinoids, antiaging effects of, 375
- application of, 375
 - in basal cell carcinoma, 683
 - in combination therapy, 375
 - in prevention of skin cancer, 667-668
 - in squamous cell carcinoma, 697
- Rheologic agents, in vasospastic disorders, 142, 147
- Rhinophyma, high-energy ultrapulsed CO₂ laser in, 385
- Rhytidectomy, composite, 337-346
- balance of tension in, 341-343
 - development of composite flap for, 337-341
 - facelift closure in, 341
 - flap closure in, 343, 344
 - in secondary rhytidectomy, 345, 346
 - maintenance of harmony in, 345, 346
 - topographic changes in face and, 337-341
 - secondary, composite rhytidectomy in, 345, 346
- Rhytids, high-energy ultrapulsed CO₂ laser in, 384
- Ring finger, avulsion of, replantation in, 96-97, 98, 99
- Rombo syndrome, 658
- Saethre-Chotzen syndrome, 445
- Sagittal split ramus osteotomy, 498
- Sagittal synostosis, treatment of, in secondary management of craniosynostosis, 423-427
- Scalp, defects of, microvascular reconstruction of, 774-775
- Scalp/skull, resection of, in advanced nonmelanoma skin cancer, 732, 733
- Scarring, after high-energy ultrapulsed CO₂ laser therapy, 400-401
- Scars, external, following mandibular reconstruction, 561
- high-energy ultrapulsed CO₂ laser in, 385
 - longstanding, squamous cell carcinoma in, 691
- Schwann cells, 64
- Scleral show, 525
- after high-energy ultrapulsed CO₂ laser therapy, 401
- Scoliosis, facial, right coronal synostosis and, 486-487
- Sebaceous cysts, of hand, 783-784
- Sebaceous gland carcinoma(s), 699-700, 713
- of eyelid, treated with Mohs' micrographic surgery, 715
- Sebaceous tumors, of hand, 783-784
- Selective serotonin reuptake inhibitors, in vasospastic disorders, 128
- Selenium, 668-669
- Sensory testing, in Raynaud's syndrome, 135
- Serotonin-receptor antagonists, in Raynaud's syndrome, 145-146
- Sinus, ethmoid, adenoid cystic carcinoma of, skull base surgery in, 574, 575-577, 578
- Sinus tract, chronic, squamous cell carcinoma in, 691, 692
- Skin, actinically damaged, therapeutic nonsurgical treatments for, 373-376
- adnexal carcinomas of, squamous cell carcinoma and, 687-703
 - cleansing of, 370-372
 - defects of, microvascular free tissue transfer in, 769-772
 - microvascular reconstruction for, 769-778
 - fundamentals of, 770-774
 - in specific areas of face, 774-777
 - postoperative management in, 774
 - preoperative assessment in, 772-773
 - procedure for, 773-774
 - timing of, 773
 - prosthetic restoration of, 770-772
- external defects in, following mandibular reconstruction, 561-563
- facial, resurfacing of, available methods for, 380-383
- principles of, 379-380

Skin (*Continued*)

- layers of, thickness of, 384
- lesions of, exophytic, high-energy ultrapulsed CO₂ laser in, 384-385
- moisturizing of, 372-373
- resurfacing of, with high-energy ultrapulsed CO₂ laser. See *Laser(s)*, high-energy ultrapulsed CO₂.
- texture of, change in, after high-energy ultrapulsed CO₂ laser therapy, 401
- type of, assessment of, in skin care maintenance, 369-370
- Skin cancer(s), basal cell. See *Basal cell carcinoma*.
- nonmelanoma, 627-815
 - advanced, and recurrent, 731-745
 - prosthetic rehabilitation in, 797-815
 - age factors and, 628
 - causes of, 628-633
 - chemicals causing, 632
 - congenital syndromes associated with, 649-661
 - diet and, 633
 - educational programs to combat, 665-666
 - environmental factors in, 630-632, 663, 664
 - epidemiology of, 627-636
 - excision of, local flap reconstruction of defects after, 747-767
 - genetic syndromes associated with, 629
 - immune response associated with, 637-647
 - animal studies of, 637-641
 - clinical studies of, 641-643
 - immunologic factors in, 630
 - incidence of, 627-628, 705
 - ionizing radiation and, 631-632
 - metastatic, 742-743
 - Mohs' micrographic surgery in, 705-718
 - of hand, management of, 779-795
 - phenotype for, 629
 - precursor lesions in, 630
 - prevention of, 633, 644, 663-671
 - previous medical conditions and, 632-633
 - prognostic indices in, 731-732
 - radiation therapy for, 719-729
 - risk factors for, 663, 664
 - risk rates for recurrence of, 712
 - treatment of, 643-644
 - initial, recurrence and, 731
 - ultraviolet radiation and, 630-631, 637
- Skin care, therapeutic, in mature patient, 369-377
- Skin care maintenance, for combination skin, 371
 - for oily skin with acne, 371
 - photoaging and, 370
 - recommended routines for, 370-373
 - skin type assessment in, 369-370
- Skin flap(s), free. See *Free-tissue transfer*.
- repositioning of, in facelift, 299-300
- trimming and closure of, in facelift, 301-307
- Skin kite flap, 19-22, 23
- Skin transfers, staged, versus island flaps, 1-2
- Skull base, approaches to, 566, 567
 - management of complications related to, 574-579
 - repeat surgery of, for tumor recurrence, 579
 - resection of, in recurrent nonmelanoma skin cancer, 743-745
 - surgery at, cerebrospinal fluid leak following, 573-574
 - epiphora following, 577
 - in adenoid cystic carcinoma of ethmoid sinus, 574, 575-577, 578
 - malocclusion following, 574
 - neurologic deficits following, 568
 - secondary craniofacial problems following, 565-581
 - patients presenting with, 566
 - results of surgery in, 566-568
 - speech abnormality following, 576-577
 - systemic complications following, 568
 - wound complications following, 569-574
- Sleeping tablets, after high-energy ultrapulsed CO₂ laser therapy, 395
- SMAS, cheek, postauricular transposition flap of, 278, 282, 296
 - temporal transposition flap of, 278-279, 283, 295
 - dissection of, for facelift, 291-294
 - modification of, planning of, in facelift, 276
 - suspension of, for facelift, 294-296
- Soaps, types of, 371
- Soft-tissue coverage, deficient, following mandibular reconstruction, 561-563
- Soft tissues, deformities of, secondary to mandibular reconstruction, 558-563
- Solar keratosis, of hand, 784-785
- Speech, abnormality of, following skull base surgery, 576-577
 - evaluation of, in palatal fistula, 605-607
- Squamous cell carcinoma (SCC), 627, 705
 - and adnexal carcinomas of skin, 687-703
 - biopsies in, 695
 - clinical course of, 693
 - differential diagnosis of, 693-694
 - epidemiology of, 687
 - field destructive therapies in, 695-696
 - follow-up in, 697
 - histopathology of, 692
 - local excision in, 695
 - metastasis of, 692-693
 - micrographic surgical technique in, 695
 - of hand, 788-792
 - pathogenesis of, 687-692
 - pathologic grading of, 692
 - prevention of, 697
 - radiotherapy in, 696-697
 - risk factors for, 687
 - risk factors for recurrence of, 712
 - self-healing primary, of hand, 781-782
 - treatment of, 695-697
- Steroids, oral, after high-energy ultrapulsed CO₂ laser therapy, 395
- Sun, exposure to, squamous cell carcinoma in, 688
- Sunscreens(s), application of, 664
 - benefits of, 664-665
 - for photoprotection of children, 664
 - in prevention of nonmelanoma skin cancer, 663-665
 - intolerance to, 664, 665
 - sun protection factor of, 664
 - topical, 663-664
- Superficial musculoaponeurotic layer. See *SMAS*.
- Suspension suture, placement of, in facelift, 300-301
- Sweat gland tumors, of hand, 782-783
- Sympathectomy(ies), digital artery, in Raynaud's syndrome, 148, 149-150
 - and connective tissue disease, 150-151
 - in revascularization, technical considerations in, 151-153
 - in ischemia of upper extremity, 112
 - in vasospastic disorders, 129-131, 143
 - perivascular, for Raynaud's syndrome of feet, 153
 - proximal, in Raynaud's syndrome, 149
- Sympathicolytic blockers, in Raynaud's syndrome, 145
- Synostosis, coronal, bilateral, treatment of, in secondary management of craniosynostosis, 423, 424-425
 - right, and facial scoliosis, 486-487
 - unilateral, treatment of, in secondary management of craniosynostosis, 422-423

- Tanning parlors, nonmelanoma skin cancer and, 666
- Telecanthus, traumatic, 525-526
- Temple, resection of, in advanced nonmelanoma skin cancer, 732
- Temporal fossa, anatomy of, 615
augmentation of, autogenous grafts for, 616
synthetic materials in, 616
- Temporomandibular joint, dysfunction of, following mandibular reconstruction, 554-555
mandibular surgery and, 499-500
maxillary surgery and, 492
- Temporoparietal fascial flap, for coverage of hand, 59-61
- Tendon(s). See also specific tendons.
repair of, update on, 161-173
- Tenolysis and capsular release, dynamic traction with, 184-185
- Tessier, Paul, 515-516, 517
facial fracture treatment and, 516-518
influence of, on current treatment of facial trauma, 515-518
- Thoracic outlet syndrome, Raynaud's syndrome in, treatment of, 153-154
- Thromboangitis obliterans, ischemia of hand in, 108-109, 141
- Thrombolytic therapy, in ischemia of upper extremity, 111-112
- Thumb, distal replantations of, 95-96, 97
dorso-ulnar island flaps, of thumb, 10-11
reconstruction of, by hetero-replantation, 101-102, 103
replantation of, 89-90
revascularization of, for replantation, 89-90
- Tissue expansion, for management of nerve gap, 69
- Toe transfer(s), bone fixation in, 52
donor site management in, 54
great toe, distal trimmed, 52
partial, microvascular reconstruction of distal digits by, 49-55
planning for, in distal digital injuries, 49-50
region of foot for, 50
retrograde dissection of vascular pedicle in, 52
technical considerations for, 52-53
vascular anastomosis and, 52-53
- Toe wrap-around flap, great toe, 51-52
second toe, 52, 53
- Toe(s), great, wrap-around flap of, 51-52
lesser, partial transfers, 52
second, wrap-around flap of, 52, 53
transfers of. See *Toe transfer(s)*.
- Traction, dynamic, by continuous motion machines, 185-187, 188
in digital injuries, 179-182, 184-185, 186, 187-188
splint for, fabrication of, 182, 183-184, 185
- Treblecar carcinoma, 700, 727
- Tretinoin, 375
and alpha hydroxy acids, for combination therapy, 375
- Trichoepithelioma, of hand, 783
- Tumors, recurrence of, repeat surgery of skull base for, 579
- Ulceration, stasis-related, squamous cell carcinoma in, 691
- Ulnar artery aneurysm, Raynaud's syndrome in, treatment of, 154
- Ultraviolet light, exposure to, squamous cell carcinoma in, 687
- Ultraviolet radiation (UV), nonmelanoma skin cancer and, 630-631, 637
spectra of, 663
systemic effects of, on immunity, 638, 639
- Upper extremity, severe ischemia of, arterial bypass in, 112-115
arteriovenous reversal in, 115-117
embolectomy in, 110-111
etiology of, 107-109
evaluation in, 109-110
management of, 107-120
omental transfer in, 117-118
sympathectomy in, 112
thrombolytic therapy in, 111-112
- Vascular disorders, and Raynaud's syndrome, 141-142
- Vascular steal syndrome, acute, and Raynaud's syndrome, 141
- Vasospastic disorders, of hand, clinical manifestations of, 127-131
diagnosis of, 123-127
management of, 121-132
physiologic considerations in, 121-123
treatment of, 127-131
- Vein-carrying flaps, pedicled, 99, 100
- Vein-carrying free flaps, 99, 101, 102
- Venous grafts, for revascularization in digital replantation, 87-88
- Verrucous carcinoma, 694
- Wallerian nerve degeneration, 64
- White finger syndrome, 139
- Wound complications, following skull base surgery, 568
- Wound debridement, for free flap transfer, 58
- Wound dehiscence, as complication of genioplasty, 510-511
- Wounds, squamous cell carcinoma in, 691
- Wrinkles, high-energy ultrapulsed CO₂ laser in, 384
pathology of, 380
recurrence of, after high-energy ultrapulsed CO₂ laser therapy, 401
- Xeroderma pigmentosa (XP), clinical findings in, 652-653, 654-655
diagnosis and treatment of, 655
pathogenesis of, 653-654
skin cancers associated with, 690
- Zygomatic arch, augmentation of, for aesthetic contouring, 616-617
reduction of, for aesthetic contouring, 616